

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	381	Booth adj encod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:39
L2	210	1 and "708"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:39
L3	209	(multiplier\$1 or multiplication or multiplying) and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:40
L4	56	3 and transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:40
L5	50	4 and inve\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:40
L6	30	switch\$3 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 18:01
L7	133	((Booth adj encoder\$1).ti. or (Booth adj encoder\$1).clm. or (Booth adj encoder\$1).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:51
L8	52	7 and "708"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:51
L9	44	8 not 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:53

L10	5	9 and switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:52
L11	39	9 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 18:00
L12	107	708/620,402,624,700.ccls. and Booth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 18:01
L13	41	switch\$3 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 18:01
L14	16	kaoru.in. and awaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:03
L15	2	1 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:04
L16	47	hideyuki.in. and fukuhara.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:04
L17	1	1 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:05
L18	10	yutaka.in. and toyonoh.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:05
L19	1	booth and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 19:05

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Job](#)**IEEE Xplore**
DIGITAL LIBRARYWelcome
United States Patent and Trademark
Office**IEEE Xplore**
1 Billion Documents
1 Million Users[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer
Review](#)[Quick Links](#)[» Author Search](#)**Welcome to IEEE Xplore**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Table of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

[Try our New Full-text Search Prototype](#) [GO](#) [Help](#)**To Locate an Author:**

1. Enter a last name or select a letter in the alphabet.
2. Once you identify the name, select it to search the database for relevant articles.

1.Options:

» Enter a name to find an author:

[Go](#)Example: Enter Lockett S to obtain a list of authors with the last name Lockett and first name initial S.
OR » Select a letter to browse the author list:[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)**2. Select an author name to search the database for relevant articles:**[Yutaka Hata](#)[Yutaka K.](#)[Yutaka T.](#)[Yutaka Usuda](#)[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) | [ALL](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

IEEE Xplore®
DIGITAL LIBRARYWelcome
United States Patent and Trademark
OfficeIEEE Xplore®
1 Million Documents
1 Million UsersHelp | FAQ | Terms | IEEE Peer
Review

Quick Links

» Search Results

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Index of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Membership Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Xplore

- ☐ Access the IEEE Xplore Full-Text Cabinet

Print Favourites

Your search matched **4** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Vector unit architecture for emotion synthesis**

Kunimatsu, A.; Ide, N.; Sato, T.; Endo, Y.; Murakami, H.; Kamei, T.; Hirano, M.; Ishihara, F.; Tago, H.; Oka, M.; Ohba, A.; Yutaka, T.; Okada, T.; Suzuoki, M.;

Micro, IEEE ,Volume: 20 , Issue: 2 , March-April 2000

Pages:40 - 47

[\[Abstract\]](#) [\[PDF Full-Text \(136KB\)\]](#) **IEEE JNL****2 A microprocessor with a 128-bit CPU, ten floating-point MAC's, four floating-point dividers, and an MPEG-2 decoder**

Suzuoki, M.; Kutaragi, K.; Hiroi, T.; Magoshi, H.; Okamoto, S.; Oka, M.; Ohba, A.; Yamamoto, Y.; Furuhashi, M.; Tanaka, M.; Yutaka, T.; Okada, T.; Nagamatsu, M.; Urakawa, Y.; Funyu, M.; Kunimatsu, A.; Goto, H.; Hashimoto, K.; Ide, N.; Murakami, H.; Ohtaguro, Y.; Aono, A.;

Solid-State Circuits, IEEE Journal of ,Volume: 34 , Issue: 11 , Nov. 1999

Pages:1608 - 1618

[\[Abstract\]](#) [\[PDF Full-Text \(640KB\)\]](#) **IEEE JNL****3 A microprocessor with a 128 b CPU, 10 floating-point MACs, 4 floating-point dividers, and an MPEG2 decoder**

Kutaragi, K.; Suzuoki, M.; Hiroi, T.; Magoshi, H.; Okamoto, S.; Oka, M.; Ohba, A.; Yamamoto, Y.; Furuhashi, M.; Tanaka, M.; Yutaka, T.; Okada, T.; Nagamatsu, M.; Urakawa, Y.; Funyu, M.; Kunimatsu, A.; Goto, H.; Hashimoto, K.; Ide, N.; Murakami, H.; Ohtaguro, Y.; Aono, A.;

Solid-State Circuits Conference, 1999. Digest of Technical Papers. ISSCC.

1999 IEEE International , 15-17 Feb. 1999

Pages:256 - 257

[\[Abstract\]](#) [\[PDF Full-Text \(164KB\)\]](#) **IEEE CNF****4 A high bandwidth superscalar microprocessor for multimedia applications**

Raam, F.M.; Agarwal, R.; Malik, K.; Landman, H.A.; Tago, H.; Teruyama, T.; Sakamoto, T.; Yoshida, T.; Yoshioka, S.; Fujimoto, Y.; Kobayashi, T.; Hiroi, T.; Oka, M.; Ohba, A.; Suzuoki, M.; Yutaka, T.; Yamamoto, Y.;

Solid-State Circuits Conference, 1999. Digest of Technical Papers. ISSCC.

1999 IEEE International , 15-17 Feb. 1999

Pages:258 - 259

[\[Abstract\]](#) [\[PDF Full-Text \(276KB\)\]](#) **IEEE CNF**

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)

[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore
SEARCH

 Welcome
 United States Patent and Trademark
 Office

IEEE Xplore
 1 Million Documents
 1 Million Users

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
[» Search Results](#)

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search


- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Membership

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

Publications

- ☐ Access the IEEE Enterprise File Cabinet


 Your search matched **1** of **1105713** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

booth encoder <and> switch

Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A painless way to reduce power dissipation by over 18% in Booth-encoded carry-save array multipliers for DSP

Zhan Yu; Wasserman, L.; Willson, A.N., Jr.;

Signal Processing Systems, 2000. SIPS 2000. 2000 IEEE Workshop on , 11-13 Oct. 2000

Pages:571 - 580

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) **IEEE CNF**
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership | Publications/Services | Standards | Conferences | Careers/Jobs

 Welcome
 United States Patent and Trademark
 Office

 IEEE Xplore®
 1 Million Documents
 1 Million Users

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Results

Welcome to IEEE Xplore

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Index of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Xplore

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **5** of **1105713** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 A 4.1-ns compact 54x54-b multiplier utilizing sign-select Booth encoders**

Goto, G.; Inoue, A.; Ohe, R.; Kashiwakura, S.; Mitarai, S.; Tsuru, T.; Izawa, T.;

Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 11 , Nov. 1997
Pages:1676 - 1682
[\[Abstract\]](#) [\[PDF Full-Text \(148 KB\)\]](#) **IEEE JNL**
2 Circuit techniques for CMOS low-power high-performance multipliers

Abu-Khater, I.S.; Bellaouar, A.; Elmasry, M.I.;

Solid-State Circuits, IEEE Journal of , Volume: 31 , Issue: 10 , Oct. 1996
Pages:1535 - 1546
[\[Abstract\]](#) [\[PDF Full-Text \(936 KB\)\]](#) **IEEE JNL**
3 A 4.1 ns compact 54x54 b multiplier utilizing sign select Booth encoders

Inoue, A.; Ohe, R.; Kashiwakura, S.; Mitarai, S.; Tsuru, T.; Izawa, T.; Goto, G.;

Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC., 1997 IEEE International , 6-8 Feb. 1997
Pages:416 - 417, 497
[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) **IEEE CNF**
4 A new approach for high performance multiply-accumulator design

Lan Jinghong; Ji Lijiu; Jiang Anping; Jia Song;

ASIC, 2003. Proceedings. 5th International Conference on , Volume: 2 , 21-24 Oct. 2003
Pages:1293 - 1295 Vol.2
[\[Abstract\]](#) [\[PDF Full-Text \(244 KB\)\]](#) **IEEE CNF**
5 Design of a high performance 32x32-bit multiplier with a novel sign select Booth encoder

Kiwon Choi; Minkyu Song;

Circuits and Systems, 2001. ISCAS 2001. The 2001 IEEE International Symposium on , Volume: 2 , 6-9 May 2001
Pages:701 - 704 vol. 2
[\[Abstract\]](#) [\[PDF Full-Text \(368 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning these documents will not correct the image
problems checked, please do not report these problems to
the IFW Image Problem Mailbox.**